PROCESSING COPY

INDORMATION REPORT INFORMATION REPORT

CENTRAL INTELLIGENCE AGENCY

This material contains information affecting the National Defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.C. Secs. 793 and 794, the transmission or revelation of which in any manner to an unauthorized person is prohibited by law.

SUBJECT Metal Products Factory at Krasnik DATE DISTR. Planter Production of browings (common September 1) and products factory at Krasnik DATE DISTR. Production about terms; marginals, production of the plant acco. DATE OF INFO. SOURCE EVALUATIONS ARE DEFINITIVE. APPRAISAL OF CONTINUES. Toller bearings until 1952, when the production anti-aircraft shell cases was introduced. In 199 types were made, although it was originally planned to produce 4, 200,000 bearings and to intimilimeter artillery shell cases. In the first 20,000 complete 85-millimeter anti-tank shells, recommel, and gives details on the physical key a sketch of the plant key-out.	25X1
SUBJECT Metal Products Factory at Krasnik DATE DISTR. "Quive Production of Products / 100 mm "The metal cases - including about ferms; mangings, REFERENCES DATE OF NACO. PLACE & DATE ACC. SOURCE EVALUATIONS ARE DEFINITIVE. APPRAISAL OF CONTINUE and a report of the produced; the number of bearings and to into millimeter artillery shell cases. In the first 20,000 complete 85-millimeter anti-tank shells, relativing a reorganization of production. 2. a report on the identification numbers and types of bearings propersonnel, and gives details on the physical lays a sketch of the plant lay-out.	
SOURCE EVALUATIONS ARE DEFINITIVE. APPRAISAL OF CONTRACE 4. 1. The metal products factory at Krasmik (N 50-55, Froller bearings until 1952, when the production anti-aircraft shell cases was introduced. In 199 types were made, although it was originally plan produced; the number of bearings produced fulfill planned to produce 4,200,000 bearings and to intralilimeter artillery shell cases. In the first 120,000 complete 85-millimeter anti-tank shells, refollowing a reorganization of production. 2. a report on the identification numbers and types of bearings propersonnel, and gives details on the physical isyal a sketch of the plant lay-out.	1
SOURCE EVALUATIONS ARE DEFINITIVE. APPRAISAL OF CONT 1. The metal products factory at Krasník (N 50-55, R roller bearings until 1952, when the production canti-aircraft shell cases was introduced. In 199 types were made, although it was originally planned roproduced; the number of bearings produced fulfill planned to produce 4,200,000 bearings and to intimillimeter artillery shell cases. In the first 120,000 complete 85-millimeter anti-tank shells, r following a reorganization of production. 2. identification numbers and types of bearings propersonnel, and gives details on the physical layer a sketch of the plant lay-out.	25X1
1. The metal products factory at Krasník (N 50-55, I reller bearings until 1952, when the production canti-aircraft shell cases was introduced. In 195 types were made, although it was originally plann produced; the number of bearings produced fulfill planned to produce 4,200,000 bearings and to introduce artillery shell cases. In the first 120,000 complete 85-millimeter anti-tank shells, refollowing a reorganization of production. 2.	25X1
personnel, and gives details on the physical lay- a sketch of the plant lay-out.	amed that 140 types should be illed the plan. For 1958, it was atroduce the production of 100-th half of 1958 the figure of minus charge, is to be reached, 25X Krasnik factory which lists the reduced, describes the leading
	sy-out of the plant. It includes
**************************************	1
**************************************	ELECTION AND AND AND AND AND AND AND AND AND AN
2 B 2 B 5 M	OFFICE THE
STATE - ARMY - NAVY - AIR - PBI AEC	
STATE - ARMY - NAVY - AIR T PBI AEC	49
	25X
(Nate: Washington distribution indicated by "X"; Field distribution by "#".)	- Fulc

25X1

BOONOMIC

Buosks Metal Products Factory at KRASNIK

- Metory of the factory. 1.
- The metal products factory at KRASNIK originated from a small factory • making bearings, which was built in 1938.
- A year after the war, in 1816 it was considerably enlarged and 90% of the 25X1 equipment is of Soviet origin
- Up to 1952, the factory continued to make ball and roller bearings, but since then, war production has been introduced, consisting of anti-tank and antisircraft shell cases, 85 mm. At the same time, production of bearings was increased, and was intended to reach 140 types in 1957. In 1958, production of 100 mm. artillery shell cases is to be introduced, and the progresses is to expand to include further types in 1960. Ascording to the plan for 1957, 4,000,000 bearings were to be made, and the figure of 4,200,000 was to be reached in 1958.
- Location (see sketch map).
- The factory is 9 km. North-west of KRASNIK, on the East side of the KRASNIK - BUDZYN - URZEDOW road, about 400 m. from it, and 3 km. from the Southern outskirts of URZEDOW.
- A new factory railway track branches off from KRASNIK station and runs alongside the road. A new housing estate has been built opposite the factory on the West side of the road.
- The area covered by the factory is about 1,000 x 1,400 m. with a wide space for expansion of the East side; it is surrounded by a wire fence, and the main entrance is on the KRASNIK - URZEDOW road.
- Production 3.
- Bearings: In 1957, the figure of 4,000,000 was reached, and 120 types were made, but this is, as stated, to be increased in 1958. Production is however not high enough to dover Peland's requirements and she has to import construction of a similar factory in POZNAN was therefore

25X1

started in 1957, and production is to begin there in 1960. The bearings made at this 25X1 factory have the trade mark F.L.T. (Febryka Lozyak Tounych) and their actual number.

- 1a) Ball bearings.
 6202, 6203, 6204, 6205, 6206, 6207, 6208, 6209, 6210, 6211, 6213, 6214, 6215, 6216.
 6303, 6304, 6305, 6306, 6307, 6308, 6309, 6310, 6311, 6312, 6314, 6315, 6316, 6317, 6518, 6320, 6322, 6324, 6326.
- 2a) Double thrust? ball bearings.
 One type only: 3308
- 5a) Come bearings

 30204, 30205, 30206, 30207, 30208, 30209, 30210, 30211, 30212, 30213, 30215, 30216, 30217, 30218.

 30215, 30216, 30217, 30218.

 32205, 32205, 32206, 32207, 32208, 32209, 32210, 32212, 32213, 32214, 32215, 32216, 32217, 32218.
- NU-204, NU-205, NU-206, NU-207, NU-208, NU-220, NJ-204, NJ-205, NJ-206, NJ-207.
- 5a) Axial bearings
 51207, 51208, 51209, 51211, 51212, 51217, 51218, 51220, 51222, 51210, 52204, 52205, 52206, 52207, 52208, 52209, 52210, 52211, 52212, 52218, 52220, 52222.
- 6a) Bearings for military production.

 Arial: 51209, 52211, 52209, 52222.

 Ball bearings: 6313, 6316, 6317, 6318.

 Come bearings: 32216, 32217, 30216, 50218.

These bearings are inspected and taken over by a military group permanently at the factory, and are intended for the aircraft industry and for tanks.

The factory is the largest in Poland making bearings. Another factory in Warsaw, on ul Duchnicks, went into production in 1956, but in 1957 it was only making 6 types, same prepared in the KRASNIK factory. There is another factory in Poznan, but its production is not large.

b) Military production

- Complete enti-tank shell, minus charge, etc. 85 mm. After reorganisation 16) production, the figure of 20,000 is to be reached in the first half of 1958.
- 100 mm. artillery shells, to be made at the beginning of 1958. 2b)
- 85 mm. anti-aircraft shell cases, to be made in 1958. 3b)
- 0) Other products.

The factory also makes small metal parts such as axles for horse-drawn vehicles, discs, etc., and semi-finished products for the ball-bearings factory in Wersew.

Supplies of Material.

Most of the steel comes from the MUTA STALOWA WOLA foundries and from foundries in Upper Silesia, mainly the BATORY, CHOZOWIC and BAILDON, KATOWICE. Materials are brought by rail.

- Destination of products. 5.
- The bearings for military requirements are delivered to the SVIDNIK aircraft .) factory, at LUBLIN, and to the tank factory at LABEDY, and others.
- In addition to home requirements, bearings are exported to Hungary, Roumania **b**) and Bulgaria.
- The products are taken away by rail. 0)
- 6. Employees
- The actual number of employees at the factory is difficult to estimate, as •) there is considerable fluctuation. It varies between 2,000 and 3,000 working three shifts. The pay is fairly high, compared with other factories, and with the building of the new housing estate, living conditions are good.
- One serious problem for the factory is the recruitment of skilled labour, b) which is non-existent. The works tries to train new apprentices and spends large sums on re-training and raising the standard of skill of the workers.
- In the early years, there were large numbers of Soviet technicians at the **e**) factory, where production is based on Soviet technology, but there are now very few there. 25X1

2.0	CONTRACTOR OF CO
Personaliti	SECRET SECRET
	ng. Brumon BILSKI, age
Technical	manager: Ing. Edmand JOSEFIAK,
Production	manager: Ing. Leszak CEDLER,
Director e	of financial administration: SWIECKI,
Head of To	ol Shop: Menryk HOGUSLAWSKI, technicien,
Head of UB	3 section: Stefan KASMASINSKI,
Chairman o	of party organisation: ZAVYCHTA, fnu,
	the factory (see plan).
Main predu	tetion hell for ball and roller bearings, a mesonry building
	elso containing department W-11. It has 10 Soviet automati
	1000 18 10 1 10 1 10 1 10 10 10 10 10 10 10 10
lathes, ty	ype 1262 M. for ball or roller bearings 40 mm. in diameter, I
lathes, ty	IT LER automatic lathes for up to 50 mm. diemeter, and12 Russ
lathes, ty German PIT 1262 P ant	IT LER matematic lather for up to 50 mm. diemeter, and 12 Russ tomatic lather for diameters of over 50 mm., 30 IK-36 Soviet
lathes, ty German PIT 1262 P aut lathes, BI	TT.LER sutomatic lathes for up to 50 mm. dismeter, and 12 Russ tomatic lathes for dismeters of ever 50 mm., 30 IK-36 Soviet LANCHARD grinders, and K-116 cutters for marking bearings.
Cerman PIT 1262 P aut lathes, BI W-11 has a	TT.LER sutomatic lather for up to 50 mm. diemeter, and 12 Russ tomatic lather for diemeters of ever 50 mm., 30 IK-36 Soviet LANCHARD grinders, and K-116 cutters for marking bearings. I about 150 machine tools. Other departments in the building in
Cerman PIT 1262 P aut lathes, BI W-11 has a	TT.LER sutomatic lathes for up to 50 mm. dismeter, and 12 Russ tomatic lathes for dismeters of ever 50 mm., 30 IK-36 Soviet LANCHARD grinders, and K-116 cutters for marking bearings.
lathes, ty German PIT 1262 P aut lathes, BI W-11 has a W-12, temp	TT.LER sutematic lather for up to 50 mm. diemeter, and 12 Russ tomatic lather for diemeters of over 50 mm., 30 IK-36 Soviet LANCHARD grinders, and K-116 cutters for marking bearings. I about 150 machine tools. Other departments in the building in pering shop, with 16 tempering furnaces; W-13, hard grinding
lathes, ty German PIT 1262 P aut lathes, BI W-11 has s W-12, temp 18 grinders f	TT.LER sutematic lather for up to 50 mm. diemeter, and 12 Russ tomatic lather for diemeters of over 50 mm., 30 IK-36 Soviet LANCHARD grinders, and K-116 cutters for marking bearings. I about 150 machine tools. Other departments in the building in pering shop, with 16 tempering furnaces; W-13, hard grinding, and IZ-8, LZ-9, LZ-10, IZ-26 and IZ-27, as to
lathes, ty German PIT 1262 P aut 1athes, BI W-11 has a W-12, temp 18 grinders f in all abo	TT.LER sectomatic lather for up to 50 mm. diemeter, and 12 Russ tomatic lather for diemeters of over 50 mm., 30 IK-36 Soviet LANOHARD grinders, and K-116 cutters for marking bearings. I about 150 machine tools. Other departments in the building in pering shop, with 16 tempering furnaces; W-13, hard grinding, and IZ-8, LZ-9, LZ-10, IZ-26 and LZ-27, as the other operations, such as SMART, 3263, ORI, ORE (also for
lathes, ty German PIT 1262 P aut 1athes, BI W-11 has a W-12, temp 18 grinders if in all abouthe Wester	tomatic lather for diameters of ever 50 mm., 30 IK-36 Soviet LANCHARD grinders, and K-116 cutters for marking bearings. I about 150 machine tools. Other departments in the building in pering shop, with 16 tempering furnaces; W-13, hard grinding, and IZ-8, LZ-9, LZ-10, IZ-26 and LZ-27, as for other operations, such as SMART, 3263, ORI, ORE (also for out 160 machines. Department W-14, the ball-making section,
lathes, ty German PIT 1262 P aut 1athes, BI W-11 has a W-12, temp 18 grinders if in all abouthe Wester	tomatic lather for diameters of ever 50 mm., 30 IK-36 Soviet LANCHARD grinders, and K-116 cutters for marking bearings. I about 150 machine tools. Other departments in the building in pering shop, with 16 tempering furnaces; W-13, hard grinding, and IZ-8, LZ-9, LZ-10, IZ-26 and LZ-27, as for other operations, such as SMART, 3263, ORI, ORE (also for out 160 machines. Department W-14, the ball-making section, m part of the hall where are two DR-7 Soviet machines for 1
lathes, ty German PIT 1262 P ant lathes, BI W-11 has a W-12, temp 18 grinders i in all abo the Wester types, one	tomatic lather for diameters of ever 50 mm., 30 IK-36 Soviet LANCHARD grinders, and K-116 cutters for marking bearings. I about 150 machine tools. Other departments in the building in pering shop, with 16 tempering furnaces; W-13, hard grinding, and IZ-8, LZ-9, LZ-10, IZ-26 and LZ-27, as for other operations, such as SMART, 3263, ORI, ORE (also for out 160 machines. Department W-14, the ball-making section, m part of the hall where are two DR-7 Soviet machines for 1 as CRB-5, machine for smaller types, and five more for small
lathes, ty German PIT 1262 P aut 1athes, BI W-11 has s W-12, temp 18 grinders f in all abo the Wester types, one two grinders.	tomatic lather for diameters of over 50 mm., 30 IK-36 Soviet LANCHARD grinders, and K-116 cutters for marking bearings. I about 150 machine tools. Other departments in the building in pering shop, with 16 tempering furnaces; W-13, hard grinding, and IZ-8, LZ-9, LZ-10, IZ-26 and LZ-27, as for other operations, such as SMART, 3263, ORI, ORE (also for out 160 machines. Department W-14, the ball-making section, m part of the hall where are two DR-7 Soviet machines for 1 as CRB-5, machine for smaller types, and five more for small tempering furnaces and about 50 Soviet MAZ-32 and MAZ-

SECRET

about 45 drams for production of balls and rollers. The whole section 25X1 contains about 160 machines and other necessary equipment. Next to Dept.

W-14 there is a repair workshop, equipped with 8 W-23 lathes, 2 universal milling machines, three grinders, etc.; about 135 people work here. The hall also contains an assembling section, W-19, with 18 presses from 10 to 40 tens, and next to it, the military checking section, from which the assembled bearings go to despatch.

- 2) Technical Laboratory, mesonry, 20 x 12 m., where research on bearings is derried ext.
- 5) <u>Bailer-house</u>, a fairly old masonry building on the South side of the hall and South of the railway line, 14 x 14 m.
- Main repair shep and production of shell cases, in a masonry hall 70 x 40 m.

 Military production is concentrated in the Northern part of the hall, where production of 85 mm. military and enti-siroraft shells began in 1956, with its own tempering shep, for military production only, equipped with 6 furnaces and built for the planted increase in production. The entire production is carried out in accordance with Aussian technological methods. The military section is known as W-17. The Southern part of the hall is Dept. W-22, the main repair shop, electrical workshop, auxiliary stories etc., with a tool room and small tempering shop; the department has about 110 machines. The building also contains Dept. W-15, the maulding shop, with 4 TUS 200 presses.
- Construction section, planning addion, part of the tool shop, technological section etc., in a fairly old masonry building, 50 x 40 m., which also contains a mechanical workshop equipped with about 150 Soviet machines. The tool room a section of which is in this building, works mainly on military production, consisting of deliveries of bearings for the SWIDNIK aircraft factory: the tool room also makes dies and blades for lathes, etc.; for the whole factory.
- 6) New tool room construction of which was begun in 1936, a ferro-concrete atructure faced with brick, 60 x 50 m. with a concrete foof, and lit by akylights; the entire tool section, Dept. W-21, was to be moved into this hailding in apring 1958.
- 7) Production of done bearings, in a fairly old hall 90 x 50 m.; the machinery

 SECRET

 SECRET

 25x1

part of which was moved here from Hall No. 1, was set up in 1957, and 25X1 production was to begin in 1958. Further military production is to be moved into part of this hall, and new electrical installation was being carried out for this purpose.

- 8) Store for military production, a new masonry building 100 x 60 m., the North side of which is one-storeyed and contains a store for reserve machines.
- 9) How force, Dept. W-10, preparing raw material for bearing production. The entire equipment is of Seviet evigin, and the yearly capacity which has been laid down is 4 million bearings, to reach which an ansatz (b) has been built, 40 x 30 m., to extend the forge, which is itself 110 x 30 m. The entire weeking is fully automatic and there are two 400 ton presses which process bearings 35 mm. in dismeter, for the Warsaw bearings factory on ul Dunhmicks.
- 16) Compressor shop for forge, a mancary building 29 x:20 m. with four M.A.V.G. Burgarian compressors.
- 11) Ceeling temer, 18 m. high and 8 m. in dismeter, a steel structure.
- 12) Store for oil, lubricants and paint, etc., a new measury building 40 x 20 m.
 with a laundry in the basement.
- 13) <u>Telephone exchange</u>, main electrical switch-board and works kitchen, in a wooden but about 35 x 10 m.
- 14) New hall, 100 m 40 m., finished in 1957, into which Dept. W-14 is to have moved from hall No. 1. On the West side there is to be an automatic outting shop for material (b) to which a railway track is to lead.
- 15) Temperary structure used as a cutting shop.
- 16) Sheet metal shop and small force, in a fairly ald masonry building which is to be equipped with new forging tosis in 1958, to enable a production rate of 20,000 anti-tank shalls to be reached half-yearly.
- New storage bhilding, 70 x 15 m., divided into two parts; in the Western part (b) finished products, including bearings, rings, etc. are to be stored, and in the Bastern part, working materials (a).
- 18) Older storese building, 40 x 16 m., used for steel material for ball and roller production.
- 19) New repair shop, a ferro-concrete structure, with two five-ton crames, to be

SFCDET

25X1

used for repairs to factory machinery; the repairs section in building No. 4 is to move here.

- Joiner's shap and store for building materials, in a fairly old building 20) 40 x 16 m.
- Artillery shell case production, calibre 100 mm., in a fairly old masonry 21) hall 90 x 50 m., where turnet and automatic lathes had been installed in two lines in Autumn 1957; production was to start at the beginning of 1958. At the same time, production of anti-tank shells is to be moved here from hall 4(b); for the first half year, the planned production rate if 20,000 85 mm. shells. This building also contains Dept. W-18, for making axles for horse-drawn wehicles, length 1050 mm. 1150 mm., and 1250 mm.; the discs have rubber rims 16", and 20". Auxiliary Dept. W-11, in this hall, is equipped with 18 IK-16 lather for machining ball-bearings (retary paths).
- Sending shee, a wooden but, on the South side of (21). 22)
- New compressor shop, equipped in Autumn 1957 and built when military 23) production was introduced at the works.
- Geoling tower for the compressor ship, a wooden structure. 24)
- Mall which has been rebuilt for exclusively military production 80 x 60 m., 25) with about FEISA presses, for moulding shell cases, in the Eastern part (a), a new tempering shop in the centre (b), with 16 tempering furnaces. The Western part of the hall was being modified in Autumn 1957 and oranes were being installed to speed up unloading from trucks (c).
- Transformer station. 26)
- Reilway engine shed and store for batteries for factory transport, a 27) mesonry building 14 x 14 m.
- Store for oil, used for heating furnaces, in a new masonry building at 26) the end of the railway line.
- Pire fighting equipment and garage, a fairly old mesonry building 25 x 10 m. 294 with four STRA 20 fire engines, and a permanent fire guard.
- Gerese for factory vehicles, a fairly old massenry building 22 x 8 m. 30)
- Postory management building, T-shaped, 80 x 14 and 40 x 15 m., two-stereyed. 31)
- Apprentices' training echool, one-storeyed building 40 x 12 m., near the 32) main entrance.
- New electrical heating apparatus, construction of which was begun in 1957; 33) it was to go into operation in the second helf of 1958. SECRFT /**54...** 25X1




34) Celing tower, 12 m. in height and diemeter.

25X1

- 35) High tension switchgear, in a memonry building 25 x 12 m. and 6 m. high, near therallway line.
- 36) Railway line branching into several tracks inside the factory area; it leads to KRASNIK station.
- 37) Penoing, wire on concrete posts, 2,80 m. high.
- 38) <u>Main porter's effice</u>, a one-storeyed building also containing the works surgery and main guard post.
- 39) Waiting room for workmen coming from surrounding villages outside the factory area.

SECRET

25X1



25X1

